



Professional label printer

- Print in black and red to highlight important information.
- Windows and Mac compatibility.
- High speed printing of up to 110 labels per minute.
- Use continuous rolls and cutter to print labels up to one metre in length.





Office

There are so many uses for labels around the office. In addition to address labels for envelopes and parcels, identify the contents of files and storage boxes. Label shelves so items are returned to the correct place. The black/red* printing capability enables essential information to be highly visible, such as valid-on dates on visitor badges. The continuous film rolls are also ideal for indoor signage, helping facilities managers create bespoke signs on demand.

* Requires DK-22251 roll



Visitor badges



Document filing



Postage labels



Indoor signage



Logistics and warehousing

In busy warehouses and post rooms, accurate and timely labelling of parcels, envelopes and product cartons is essential to ensure the smooth running of all logistics operations. Using red* print on handling labels ensures this crucial information is noticed, while barcodes can be quickly generated as-and-when required.

* Requires DK-22251 roll






Conveying product pricing and any special offers to shoppers quickly is crucial for the retail sector. Print pricing labels for product tags, that can also include barcodes. And use red* print on to highlight special offers or promotions by creating eye-catching indoor signage.

* Requires DK-22251 roll







Promotion signage



On-demand label printing is a critical part of the food industry, such as highlighting allergen information to consumers, show use-by/best before dates, and product pricing including EAN-8 / EAN-13 barcodes.

Takeaway outlets can print details of orders, including address information where delivery is required.



Takeaway orders



Shelf-edge labelling

QL-800 Specifications

Printing / Media	
Printing technology	Direct thermal with 2 colour print capability
Print resolution	300x300dpi (standard) / 300x600dpi (high resolution mode)
Print speed (single colour)	Maximum 148mm/sec (93 labels/minute)
Print speed (two colour)	Maximum 24mm/sec (equivalent to 15 labels/minute)
Label widths	12mm - 62mm
Maximum print width	58mm
Maximum print length	1 metre
Media sensor type	Reflective
Cutter	Yes (full cut / guillotine type)
Media types	DK Rolls (DK die-cut labels / DK continuous tape)
Connectivity	
USB	USB version 2.0 full-speed
Power	
Power	220-240V AC internal power supply
Weights / Dimensions	
Dimensions	125(w) x 213(h) x 142(d) mm
Weight	1.15kg
Included items	
In the box	Printer Standard address die-cut labels (100 labels) 2-colour print continuous roll (62mm x 5 metres) USB cable AC power cord Documentation
Software / Firmware	
Operating system support	Misses of C. Misses Victor C. Misses and C.
(visit http://support.brother.com for latest downloads and support)	Microsoft® Windows Vista®/ Windows® 7 / Windows® 8 Windows® 8.1 / Windows® 10 macOS X v 10.10 / 10.11 / 10.12 Android 4.1 or higher
and support) SDK availability	macOS X v 10.10 / 10.11 / 10.12 Android 4.1 or higher
and support) SDK availability (visit http://www.brother.eu/developer)	macOS X v 10.10 / 10.11 / 10.12 Android 4.1 or higher b-PAC (for Windows)
and support) SDK availability (visit http://www.brother.eu/developer) Supported printer commands Barcode symbologies	macOS X v 10.10 / 10.11 / 10.12 Android 4.1 or higher b-PAC (for Windows) Raster CODE39, CODE128, UCC/EAN128(GS1-128), ITF(I-2/5), CODABAR(NW-7), UPC-A, UPC-E, EAN13, EAN8, ISBN-2(EAN13 AddOn2), ISBN-5(EAN13 AddOn5), Laser Barcode, POSTNET, RSS(RSS14 Standard, RSS14 Truncated, RSS14 Stacked, RSS14 Stacked Omni, RSS Limited, RSS Expanded, RSS Expanded Stacked), PDF417(Standard, Truncate, Micro), QR code(Model1, Model2, Micro), Data Matrix(ECC Square, ECC Rectangular), MaxiCode(Model2, Model3, Model4, Model5) RSS symbols / CODE93 / POSTNET / UPC/EAN EXTENSION / MSI / QR Code (model 1, model 2, micro QR)PDF41
and support) SDK availability (visit http://www.brother.eu/developer) Supported printer commands Barcode symbologies (using P-touch Editor)	macOS X v 10.10 / 10.11 / 10.12 Android 4.1 or higher b-PAC (for Windows) Raster CODE39, CODE128, UCC/EAN128(GS1-128), ITF(I-2/5), CODABAR(NW-7), UPC-A, UPC-E, EAN13, EAN8, ISBN-2(EAN13 AddOn2), ISBN-5(EAN13 AddOn5), Laser Barcode, POSTNET, RSS(RSS14 Standard, RSS14 Truncated, RSS14 Stacked, RSS14 Stacked Omni, RSS Limited, RSS Expanded, RSS Expanded Stacked), PDF417(Standard, Truncate, Micro), QR code(Model1, Model2, Micro), Data Matrix(ECC Square, ECC Rectangular), MaxiCode(Model2, Model3, Model4, Model5) RSS symbols / CODE93 / POSTNET / UPC/EAN EXTENSION / MSI / QR Code (model 1, model 2, micro QR)PDF41
and support) SDK availability (visit http://www.brother.eu/developer) Supported printer commands Barcode symbologies (using P-touch Editor) System Requirements Windows/ Mac	macOS X v 10.10 / 10.11 / 10.12 Android 4.1 or higher b-PAC (for Windows) Raster CODE39, CODE128, UCC/EAN128(GS1-128), ITF(I-2/5), CODABAR(NW-7), UPC-A, UPC-E, EAN13, EAN8, ISBN-2(EAN13 AddOn2), ISBN-5(EAN13 AddOn5), Laser Barcode, POSTNET, RSS(RSS14 Standard, RSS14 Truncated, RSS14 Stacked Omni, RSS Limited, RSS Expanded, RSS Expanded Stacked), PDF417(Standard, Truncate, Micro), QR code(Model1, Model2, Micro), Data Matrix(ECC Square, ECC Rectangular), MaxiCode(Model2, Model3, Model4, Model5) RSS symbols / CODE93 / POSTNET / UPC/EAN EXTENSION / MSI / QR Code (model 1, model 2, micro QR)PDF41 (Standard, Truncate, MicroPDF417) / Data Matrix(ECC200 Square, ECC200 Rectangular) / MaxiCode / Aztec Windows Vista® / Windows® 7 - 8 - 8.1 - 10 Mac OS X v10.9 x - 10.10 x - 10.11 x - 10.12 x
and support) SDK availability (visit http://www.brother.eu/developer) Supported printer commands Barcode symbologies (using P-touch Editor) System Requirements Windows/ Mac Operating System	macOS X v 10.10 / 10.11 / 10.12 Android 4.1 or higher b-PAC (for Windows) Raster CODE39, CODE128, UCC/EAN128(GS1-128), ITF(I-2/5), CODABAR(NW-7), UPC-A, UPC-E, EAN13, EAN8, ISBN-2(EAN13 AddOn2), ISBN-5(EAN13 AddOn5), Laser Barcode, POSTNET, RSS(RSS14 Standard, RSS14 Truncated, RSS14 Stacked, RSS14 Stacked Omni, RSS Limited, RSS Expanded, RSS Expanded Stacked), PDF417(Standard, Truncate, Micro), QR code(Model1, Model2, Micro), Data Matrix(ECC Square, ECC Rectangular), MaxiCode(Model2, Model4, Model5) RSS symbols / CODE93 / POSTNET / UPC/EAN EXTENSION / MSI / QR Code (model 1, model 2, micro QR)PDF417 (Standard, Truncate, MicroPDF417) / Data Matrix(ECC200 Square, ECC200 Rectangular) / MaxiCode / Aztec Windows Vista® / Windows® 7 - 8 - 8.1 - 10 Mac OS X v10.9.x - 10.10.x - 10.11.x - 10.12.x Windows Server® 2008 / 2008 R2 / Windows® Server 2012 / 2012 R2 Windows®: USB Port (USB Spec. 1.1, 2.0, or 3.0 protocol)

For latest OS support visit http://support.brother.com

CHENNAI



BANGALORE

Brother International (India) Private Limited

Unit No.801 & 802, $\,8^{th}$ Floor, Alpha Building, Hiranandani Gardens, Powai, Mumbai - 400076. **2**: 022-66708900, **2**: 022-66708999

🖀: 1-800-222-422 (MTNL & BSNL users) & 1-800-209-8904 (Others) Operating Hours: Mon to Fri (8.30 am to 6.30 pm) & Sat (9.00 am to 6.00 pm)

- BROTHER SHOWROOM -

PUNE LUCKNOW KOLKATA

PARTNER DETAILS

www.brother.in