

ENHANCING BUSINESS PERFORMANCE

WITH ELEVATED CAPABILITIES



MONOCHROME LASER PRINTERS

Designed for Reliability & Efficiency

Brother's range of monochrome laser printers help you to drive greater productivity for your enterprise.

ENHANCED EFFICIENCY for seamless, productive workflows



FAST PRINT SPEEDS

Tackle ad-hoc print jobs easily with a print speed of up to **50 ppm** (A4) and an impressive First Print Out Time of **under 6.7 seconds**.



AUTO DOCUMENT FEEDER

Enhance print productivity with the Auto Document Feeder that supports up to **70 sheets (A4)** for print, copy and scan jobs in batches.



SCAN FUNCTIONS

Directly upload original scanned documents to the cloud, e-mail servers or designated networks with Scan To functions.



WIRELESS CAPABILITIES

Print wirelessly and connect to mobile solutions effortlessly.



5-INCH LCD TOUCHSCREEN

Displays information with clarity using a **seamless interface** that allows for **intuitive navigation**.

RELIABILITY that maximises print performance



HIGH PRINT VOLUME

Maximise performance with high paper input capacities of up to **1,040 sheets** and save time on reloading.



ROBUST SECURITY

Features such as **Secure Function Lock** and **Secure Print** safeguard print jobs and other functions against unauthorised user access.

COST-SAVING with high-yield printing & scanning



HIGH-YIELD TONER CARTRIDGES

Each toner cartridge supports more than **18,000** pages*I worth of prints, reducing overall printing costs and maintenance downtime.



AUTO DUPLEX PRINT & SCAN

Utilises double-sided printing and scanning, saving on total operating costs.

Corporate Solutions

BRADMIN centralising information for easier management at **no cost**

Oversee your network-connected Brother devices through an easily accessible centralised platform with the **BRAdmin Professional 4 Application.**



Experience greater visibility and management of your machines.



Easily configure printer settings for enhanced access security and device protection.



Save time and money through automation features and zero-cost printer management software.

SECURITY FEATURES secure important data and documents

Protect your data efficiently with a multitude of security features.

SECURE PRINT

Safeguard important documents by restricting print access to classified/important documents with a unique PIN code by any user.

CLOUD SECURE PRINT

Allows for secure and remote printing without the need to connect to a corporate network.


SETTING LOCK


Prevents printer settings from being altered without entering the right password.

CUSTOM UI adapts to your business requirements

Meet specific needs for your business by customising your Brother printer's user interface. Various visual elements like buttons, text and backgrounds can be altered for time-saving accessibility and easier user operation. Furthermore, the Brother Solutions Interface (BSI) allows for seamless integration of modifications into business processes for greater efficiency.







INFORMATION REPLACEMENT BUTTON CUSTOMISATION

Customise your user interface by inserting any information you need, from service data to general information to simply adding your company logo to the background.

Icons and functions can also be customised to meet your needs. Logos, text and functions are easily adjustable to provide clearer access to important functions.

WORKFLOW INTEGRATION

The Brother Solutions Interface (BSI) allows for the storage of interface changes, allowing for seamless integration into company processes for greater efficency.

		MFC-L5915DW
		3.11.1
Description		4-in-1 Monochrome Laser Multi-Function Centre with Automatic 2-sided Printing and Wireless Connectivity
KEY FUNCTIONS		Print, Scan, Copy & Fax
Print Speed (A4/Letter)		Up to 50/52 ppm (Quiet Mode: Up to 25/26 ppm)
Print Resolution		Up to 1200 x 1200 dpi
First Print Out Time (Ready) 2-sided Feature		Less than 6.7 secs
Print Language (Emulation)		Automatic Duplex Printing, Auto Duplex Copy, Duplex Scan
		PCL6, BR-Script3, IBM Proprinter XL, Epson FX-850, PDF Version 1.7, XPS Version 1.0
COPY FUNCTIONS		H + F0/F0 - (0 ' + M + H + 0F/00 -)
Copy Speed (A4/Letter) Copy Resolution		Up to 50/52 ppm (Quiet Mode: Up to 25/26 ppm) Max. 1200 x 600 dpi
Reduction / Enlargement Ratio Copy Features		25% - 400% in 1% increments N in 1
SCAN FUNCTIONS		N III I
Scan Speed (Mono/Colour)*1		28/20 ipm (Duplex: 56/40 ipm)
Dual Scanner (Method)		One-Pass Scanning ADF (Dual CIS)
Resolution (Optical/Interpolated)		Max. 1200 x 1200 dpi / Max. 19,200 x 19,200 dpi
Scan To Functions		Sharepoint, E-mail, Email Server, Image, OCR, File, FTP, FTPS, SFTP, Network (Windows only), USB
FAX FUNCTIONS		Sharepoint, E-mait, Emait Server, image, Och, File, FFF, FFFS, SFFF, Network (Windows Shity), 656
Modem Speed		33,600 bps (Fax)
Transmission Speed		Approx. 2.5 sec. (ITU-T Test Chart Document No.1, Standard Resolution, JBIG)
Memory Transmission/Out-of-paper Reception		Up to 500 pages (ITU-T Test Chart Document No.1, Standard Resolution, JBIG)
		300 locations
Speed Dial Group Dial		20 locations
Broadcasting		350 locations
·		Receive: Windows
PC Faxing		Send: Windows, Mac (AirPrint), Linux (LPR/CUPS PC-FAX Send Driver)
CONNECTIVITY / NETWORKING		
Interface		USB 2.0, Gigabit Ethernet (10Base-T/100Base-TX/1000Base-T), Wi-Fi Direct, Wireless Lan (2.4GHz/5.0GHz)
USB Direct Print		Yes
Mobile Solutions		AirPrint, Mopria, Brother Mobile Connect
Desktop Solutions		Brother i Print & Scan
WebConnect		Yes
PAPER HANDLING		
		250 sheets
Input Tray (Standard)		250 sheets 100 sheets
PAPER HANDLING Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down)		
Input Tray (Standard) Multi-Purpose Tray / Manual Slot		100 sheets 150 sheets 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray		100 sheets 150 sheets 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets)
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF)		100 sheets 150 sheets 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR)
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray		100 sheets 150 sheets 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets)
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF)		100 sheets 150 sheets 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb)
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray)		100 sheets 150 sheets 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb)
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray)		100 sheets 150 sheets 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS		100 sheets 150 sheets 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. I,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory		100 sheets 150 sheets 250 sheets (LT-6505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display		100 sheets 150 sheets 250 sheets (LT-6505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz 2 GB
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory		100 sheets 150 sheets 250 sheets (LT-6505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz 2 GB 5° TFT ColorLCD
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display		100 sheets 150 sheets 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz 2 GB 5" TFT ColorLCD Windows: Win10 / Win11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility		100 sheets 150 sheets 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,0.40 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, 85 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz 2 GB 5" TFT ColrLCD Windows: Win10 / Win11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment)
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features		100 sheets 150 sheets 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1,2GHz Dual Core Sub: ARM946 150MHz 2 GB 5" TFT ColorLCD Windows: Win10 / Win11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions		100 sheets 150 sheets 150 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz 2 GB 5*TFT ColorLCD Windows: Win10 / Win11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRig (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W Sleep Mode Average: Approx. 710 W
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features		100 sheets 150 sheets 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz 2 GB 5" TFT ColorLCD Windows: Win10 / Win11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3		100 sheets 150 sheets 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz 2 GB 5"TT ColorLCD Windows: Win10 / Win11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W Sleep Mode Average: Approx. 6.0 W 220 - 240 V AC 50/60 Hz 5:3 A
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4		100 sheets 150 sheets 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz 2 GB 5"TT ColorLCD Windows: Win10 / Win11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W Sleep Mode Average: Approx. 6.0 W 220 - 240 V AC 50/60 Hz
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES		100 sheets 150 sheets 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 163 g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Shortl)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz 2 GB 5 "TFT ColorLCD Windows: Win10 / Win11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W Sleep Mode Average: Approx. 6.0 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A)
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5	Approx. 3,000 pages	100 sheets 150 sheets 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. I,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz 2 GB 5*TFT ColorLCD Windows: Win10 / Win11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W Sleep Mode Average: Approx. 6.0 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A)
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5	Approx. 6,000 pages	100 sheets 150 sheets 150 sheets 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz 2 GB 5* TFT ColorLCD Windows: Win10 / Win11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W Sleep Mode Average: Approx. 70 W Sleep Mode Average: Approx. 6.0 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) TN-3608 TN-3608XL
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption'3 Power Source Noise Level (Printing)'4 SUPPLIES Standard-Yield Toner (*Toner name)'5-6 Super High-Yield Toner (*Toner name)'5-6	Approx. 6,000 pages Approx. 11,000 pages	100 sheets 150 sheets 150 sheets 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz 2 GB 5° TFT ColorLCD Windows: Win10 / Win11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W Sleep Mode Average: Approx. 710 W Sleep Mode Average: Approx. 6.0 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) TN-3608XL TN-3608XL TN-3608XXL
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5	Approx. 6,000 pages Approx. 11,000 pages Approx. 18,000 pages	100 sheets 150 sheets 150 sheets 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4,LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz 2 GB 5* TFT ColorLCD Windows: Win10 / Win11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W Sleep Mode Average: Approx. 70 W Sleep Mode Average: Approx. 6.0 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) TN-3608 TN-3608XL
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption'3 Power Source Noise Level (Printing)'4 SUPPLIES Standard-Yield Toner (*Toner name)'5 High-Yield Toner (*Toner name)'5 Super High-Yield Toner (*Toner name)'5 Super High-Yield Toner (*Toner name)'5	Approx. 6,000 pages Approx. 11,000 pages Approx. 18,000 pages Approx. 45,000 pages	100 sheets 150 sheets 150 sheets 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz 2 GB 5° TFT ColorLCD Windows: Win10 / Win11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W Sleep Mode Average: Approx. 710 W Sleep Mode Average: Approx. 6.0 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) TN-3608XL TN-3608XL TN-3608XXL
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5 Super High-Yield Toner (*Toner name)*5 Uttra High-Yield Toner (*Toner name)*5 Uttra High-Yield Toner (*Toner name)*5	Approx. 6,000 pages Approx. 11,000 pages Approx. 18,000 pages	100 sheets 150 sheets 150 sheets 150 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz 2 GB 5*TFT ColorLCD Windows: Win10 / Win11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W Sleep Mode Average: Approx. 6.0 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) TN-3608 TN-3608XL TN-3608XXL TN-3608XXL TN-3608XXL
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5 Super High-Yield Toner (*Toner name)*5*0 Ultra High-Yield Toner (*Toner name)*5 Drum DIMENSIONS AND WEIGHT	Approx. 6,000 pages Approx. 11,000 pages Approx. 18,000 pages Approx. 45,000 pages	100 sheets 150 sheets 150 sheets 150 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz 2 GB 5 "FFT ColorLCD Windows: Win10 / Win11/ Server 2012 / 2012r2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRing (x86/x84 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W Sleep Mode Average: Approx. 6.0 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) TN-3608 TN-3608XL TN-3608XL TN-3608XL TN-3608XL TN-3608B DR-3608
Input Tray (Standard) Multi-Purpose Tray / Manual Slot Output Tray (Face Down) Optional Input Paper Tray Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5 Super High-Yield Toner (*Toner name)*5 Ultra High-Yield Toner (*Toner name)*5	Approx. 6,000 pages Approx. 11,000 pages Approx. 18,000 pages Approx. 45,000 pages	100 sheets 150 sheets 150 sheets 150 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz 2 GB 5*TFT ColorLCD Windows: Win10 / Win11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W Sleep Mode Average: Approx. 6.0 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) TN-3608 TN-3608XL TN-3608XXL TN-3608XXL TN-3608XXL

^{*1} In accordance with ISO/IEC17991.

4

- Half speed and straight paper output with more than 105 g/m² (28 lb).
 Measured when the machine is connected with the same network connection as the ENERGY STAR Ver. 3.1 test method.
- In accordance with ISO7779.
 In accordance with ISO/IEC 19752.
- *6 Inbox Toner.



India EPR Compliance | Entity Name: Brother International (India) Private Limited Plastic Waste EPR No.: BO-13-000-08-AADCB0263E-22 | Battery Waste EPR No.: 6821475 Thickness for PE bag: 50 microns or above







One-stop centre for free downloadable templates www.creativecenter.brother







Microsoft, Windows, the Windows logo and/or other Microsoft products referenced herein are either registered trademarks of Microsoft Corporation in the U.S. and/or other countries. Brother and its logo are trademarks of Brother Industries Ltd., Japan. All specifications are subject to change without notice. All registered trademarks referenced herein are the property of their respective companies. Brother international Corporation, Japan.